

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	38	(babka schwendima).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 16:23
L2	3	1 and list.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 16:23
S1	273	(data adj processing) and (ordered adj list) and parallel and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 16:22
S2	51	((data adj processing) and (ordered adj list) and parallel and @ad<="19990902") and (top with list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 13:36
S3	120	((data adj processing) and (ordered adj list) and parallel and @ad<="19990902") and ((top or start\$4 or begin\$4) with list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/20 14:17
S4	6	(insert and remove) same (ordered adj list) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/20 14:27
S5	140	(display\$4 or output\$4) and (ordered adj list).ab. and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/20 15:40
S6	17	(display\$4 or output\$4) and (ordered adj list).ti. and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/20 15:13
S7	17	((display\$4 or output\$4) and (ordered adj list).ab. and @ad<="19990902") and ((display\$4 or output\$4) with (top or start or begin\$5 or front))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/20 15:19

S8	9	((display\$4 or output\$4) and (ordered adj list).ab. and @ad<="19990902") and insert and remove	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/20 15:17
S9	7	((display\$4 or output\$4) and (ordered adj list).ab. and @ad<="19990902") and ((display\$4 or output\$4) with (top or start or begin\$5 or front)) with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/20 15:21
S10	7	((display\$4 or output\$4) and (ordered adj list).ab. and @ad<="19990902") and (((display\$4 or output\$4) with (top or start or begin\$5 or front)) with list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/16 15:23
S11	3	((display\$4 or output\$4) and (ordered adj list).ab. and @ad<="19990902") and (((display\$4 or output\$4) with (top or start or begin\$5 or front)) with list)) and activity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/20 15:35
S12	33	(display or outout) and (ordered adj list) and ((tracking or monitoring) with activity) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/20 15:39
S13	0	((ordered adj list) and (track\$4 or monitor\$4) with activit\$3).ab. and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/20 15:42
S14	9	((ordered adj list) and (track\$4 or monitor\$4)).ab. and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/20 15:49
S15	1	((ordered adj list) and (track\$4 or monitor\$4)).ab. and @ad<="19990902") and remov\$5 and insert\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/20 15:45
S16	1	((ordered adj list) and (track\$4 or monitor\$4)).ab. and @ad<="19990902") and remov\$5 and insert\$4) and (display\$4 or output\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/20 15:45

S17	22	(maint\$8 with (ordered adj list)). ab. and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/20 15:55
S18	9	((maint\$8 with (ordered adj list)). ab. and @ad<="19990902") and (track\$4 or monitor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/20 15:55
S19	120	(maint\$8 with (ordered adj list)) and (track\$4 or monitor\$4) and (insert\$4 and (remov\$4 or delet\$4)) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/20 15:57
S20	505	((display\$4 or output\$5) adj (latest or newest or current)) with (list or queue or stack or heap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 11:14
S21	339	((display\$4 or output\$5) adj (latest or newest or current)) with (list or queue or stack or heap)) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 11:17
S22	159	((display\$4 or output\$5) adj (latest or newest or current)) with (list or queue or stack or heap)) and @ad<="19990902") and configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 12:43
S23	2	((display\$4 or output\$5) adj (latest or newest or current)) with activit\$4 with (list or queue or stack or heap)) and @ad<="19990902") and configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 12:45
S24	11	(US-6349320-\$ or US-6138123-\$ or US-4890257-\$ or US-6295534-\$ or US-6470362-\$ or US-6351754-\$ or US-6253212-\$ or US-6074299-\$ or US-6249520-\$).did. or (JP-63231543-\$).did. or (US-4943968-\$).did.	USPAT; JPO; DERWENT	OR	OFF	2003/03/21 12:48
S25	4	((US-6349320-\$ or US-6138123-\$ or US-4890257-\$ or US-6295534-\$ or US-6470362-\$ or US-6351754-\$ or US-6253212-\$ or US-6074299-\$ or US-6249520-\$).did. or (JP-63231543-\$).did. or (US-4943968-\$).did.) and parallel	USPAT	OR	OFF	2003/03/21 12:49

S26	270	(ordered adj list) and (configur\$6 with devices)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 13:38
S27	190	((ordered adj list) and (configur\$6 with devices)) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 13:37
S28	105	(ordered adj list) and (configur\$6 near3 devices) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 13:39
S29	88	(ordered adj list) and (configur\$6 near2 devices) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 13:42
S30	3	(ordered adj list) same (configur\$6 near2 devices) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 13:42
S31	166576	list and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 18:03
S32	7708	(list and @ad<="19990902") and stack and top	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 16:23
S33	119	((list and @ad<="19990902") and stack and top) and (insert with top)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 16:23
S34	81586	configur\$8 with devices	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 14:19
S35	23058	(configur\$8 with devices) and (list queue stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 14:19

S36	9526	((configur\$8 with devices) and (list queue stack)) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 15:28
S37	1594	((((configur\$8 with devices) and (list queue stack)) and @ad<="19990902") and ((complet\$4 remov\$4 delet\$4 pop\$4) near3 (stack list queue)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 14:21
S38	57	(((((configur\$8 with devices) and (list queue stack)) and @ad<="19990902") and ((complet\$4 remov\$4 delet\$4 pop\$4) near3 (stack list queue))) and (configur\$6 with devices).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 14:22
S39	48	(((((configur\$8 with devices) and (list queue stack)) and @ad<="19990902") and ((complet\$4 remov\$4 delet\$4 pop\$4) near3 (stack list queue))) and (configur\$6 with devices).ab.) not international.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 15:07
S40	11	((((((configur\$8 with devices) and (list queue stack)) and @ad<="19990902") and ((complet\$4 remov\$4 delet\$4 pop\$4) near3 (stack list queue))) and (configur\$6 with devices).ab.) not international.as.) and (configur\$6 with (start\$4 begin\$4 begun))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 14:25
S41	13	(US-6349320-\$ or US-6138123-\$ or US-6119185-\$ or US-5113522-\$ or US-4890257-\$ or US-6295534-\$ or US-6470362-\$ or US-6351754-\$ or US-6253212-\$ or US-6074299-\$ or US-6249520-\$).did. or (JP-63231543-\$).did. or (US-4943968-\$).did.	USPAT; JPO; DERWENT	OR	OFF	2004/04/24 14:49
S42	7	((US-6349320-\$ or US-6138123-\$ or US-6119185-\$ or US-5113522-\$ or US-4890257-\$ or US-6295534-\$ or US-6470362-\$ or US-6351754-\$ or US-6253212-\$ or US-6074299-\$ or US-6249520-\$).did. or (JP-63231543-\$).did. or (US-4943968-\$).did.) and ((delet\$4 remov\$4) with (stack list))	USPAT	OR	ON	2004/04/24 14:48
S43	1	("6389447").PN.	USPAT; USOCR	OR	OFF	2004/04/24 14:49

S44	1	((("6389447").PN.) and (delet\$4 remov\$4 pop\$4)	USPAT	OR	ON	2004/04/24 14:51
S45	0	((("6389447").PN.) and parallel	USPAT	OR	ON	2004/04/24 14:52
S46	0	(display\$3 near5 (top near3 stack)) and "g06f\$.ipc"	USPAT	OR	ON	2004/04/24 14:53
S47	46	(display\$3 near5 (top near3 stack)) and g06f\$.ipc.	USPAT	OR	ON	2004/04/24 15:36
S48	39	((display\$3 near5 (top near3 stack)) and g06f\$.ipc.) and list	USPAT	OR	ON	2004/04/24 14:53
S49	32	((display\$3 near5 (top near3 stack)) and g06f\$.ipc.) and list) not international.as.	USPAT	OR	ON	2004/04/24 15:42
S50	27	((display\$3 near5 (top near3 stack)) and g06f\$.ipc.) and list) not international.as.) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 14:54
S51	9	((display\$3 near5 (top near3 stack)) and g06f\$.ipc.) and list) not international.as.) and @ad<="19990902") and parallel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 14:54
S52	0	(((((configur\$8 with devices) and (list queue stack)) and @ad<="19990902") and ((complet\$4 remov\$4 delet\$4 pop\$4) near3 (stack list queue))) and (configur\$6 with devices).ab.) not international.as.) and (display\$3 near3 previous)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 15:07
S53	149	((configur\$8 with devices) and (list queue stack)) and @ad<="19990902") and (display\$3 near3 previous)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 15:11
S54	138	((configur\$8 with devices) and (list queue stack)) and @ad<="19990902") and (display\$3 near3 previous)) not international.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 15:28
S55	8	(display\$3 near3 previous) with (configur\$6 near3 device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 15:23
S56	12779	((insert\$3 push\$3 enqueue\$4 insert\$3) near3 configuration) and device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 15:27

S57	587	((((insert\$3 push\$3 enqueue\$4 insert\$3) near3 configuration) and device) and g06f\$.ipc.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 15:28
S58	547	(((((insert\$3 push\$3 enqueue\$4 insert\$3) near3 configuration) and device) and g06f\$.ipc.) not international.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 15:28
S59	241	(((((insert\$3 push\$3 enqueue\$4 insert\$3) near3 configuration) and device) and g06f\$.ipc.) not international.as.) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 15:42
S60	7	((display\$3 near5 (top near3 stack)) and g06f\$.ipc.) and (configurat\$4 same devices)	USPAT	OR	ON	2004/04/24 15:34
S61	14	(display\$3 near5 (top near3 stack)) and g06f\$.ipc. and ((configuration configuring) with device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 15:41
S62	1695	g06f\$.ipc. and (((configuration configuring) with device) same (stack list queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 15:43
S63	852	g06f\$.ipc. and (((configuration configuring) with device) with (stack list queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 15:44
S64	316	(g06f\$.ipc. and (((configuration configuring) with device) with (stack list queue))) not international.as.	USPAT	OR	ON	2004/04/24 15:43
S65	243	((g06f\$.ipc. and (((configuration configuring) with device) with (stack list queue))) not international.as.) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 15:43
S66	339	g06f\$.ipc. and (((configuration configuring) near3 device) with (stack list queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 15:43
S67	119	(g06f\$.ipc. and (((configuration configuring) near3 device) with (stack list queue))) not international.as.	USPAT	OR	ON	2004/04/24 15:44

S68	92	((g06f\$.ipc. and (((configuration configuring) near3 device) with (stack list queue))) not international.as.) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 15:45
S69	305	g06f\$.ipc. and (((configuration configuring) near3 device) with (stack list))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 15:45
S70	103	(g06f\$.ipc. and (((configuration configuring) near3 device) with (stack list))) not international.as.	USPAT	OR	ON	2004/04/24 15:46
S71	80	((g06f\$.ipc. and (((configuration configuring) near3 device) with (stack list))) not international.as.) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 15:52
S72	45	g06f\$.ipc. and (((configuration configuring) near3 device) with (stack))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 15:45
S73	19	(g06f\$.ipc. and (((configuration configuring) near3 device) with (stack))) not international.as.	USPAT	OR	ON	2004/04/24 15:55
S74	16	((g06f\$.ipc. and (((configuration configuring) near3 device) with (stack))) not international.as.) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 15:52
S75	637	(determin\$4 adj configuration) with device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 15:52
S76	37	((determin\$4 adj configuration) with device) same (list stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 15:55
S77	13	((determin\$4 adj configuration) with device) same (list stack)) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 15:55
S78	53	((determin\$4 adj configuration) with device) and stack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 15:55



S79	25	((((determin\$4 adj configuration) with device) and stack) not international.as.	USPAT	OR	ON	2004/04/24 15:55
S80	19	((((determin\$4 adj configuration) with device) and stack) not international.as.) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/24 15:55
S81	3078	(device near3 configur\$) same (list queue stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 14:28
S82	1146	((device near3 configur\$) same (list queue stack)) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 14:37
S83	25429	(display\$3) near3 status	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 14:35
S84	7815	((display\$3) near3 status) and parallel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 14:35
S85	141	((display\$3) near3 status) and (parallel with activities)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 14:36
S86	148	((display\$3) near3 status) and (parallel with activit\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 14:37
S87	13	((((display\$3) near3 status) and (parallel with activit\$)) and (display\$3 with fail\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 14:37
S88	9	((((display\$3) near3 status) and (parallel with activit\$)) and (display\$3 with fail\$)) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 14:47

S89	79	(monitor\$3 track\$3 trac\$3) with (display\$3 with (previous and status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 14:47
S90	37	((monitor\$3 track\$3 trac\$3) with (display\$3 with (previous and status))) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 14:48
S91	4	((((monitor\$3 track\$3 trac\$3) with (display\$3 with (previous and status))) and @ad<="19990902") and (configur\$ with device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 18:01
S92	7647	(config\$ with devices).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 18:31
S93	8	((config\$ with devices).ab.) and (display\$3 near3 previous)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 18:02
S94	4	((((config\$ with devices).ab.) and (display\$3 near3 previous)) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 19:59
S95	4212	((config\$ with devices).ab.) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 18:26
S96	282	((((config\$ with devices).ab.) and @ad<="19990902") and (stack queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 18:27
S97	104	((((config\$ with devices).ab.) and @ad<="19990902") and (stack queue) and list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 18:27
S98	102	((((config\$ with devices).ab.) and @ad<="19990902") and (stack queue) and list) and configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 18:28

S99	13	(((((config\$ with devices).ab.) and @ad<="19990902") and (stack queue) and list) and configuration) and ((track\$3 monitor\$3) near3 activities)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 18:28
S10 0	1048	(config\$ with devices).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 18:32
S10 1	563	((config\$ with devices).ti.) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 18:35
S10 2	22	(((((config\$ with devices).ti.) and @ad<="19990902") and ((config\$ near3 device) with (list stack queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 18:37
S10 3	1	(((((config\$ with devices).ti.) and @ad<="19990902") and ((config\$ near3 device) and (ordered adj list))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 18:37
S10 4	1	((US-6389447-\$).did.) and device	USPAT	OR	ON	2004/05/14 19:58
S10 5	2	(top near3 stack) with (device adj config\$)	USPAT	OR	ON	2004/05/14 19:59
S10 6	80	stack with (device adj config\$)	USPAT	OR	ON	2004/05/14 19:59
S10 7	48	(stack with (device adj config\$)) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/15 11:23
S10 8	13082	"710"/\$.ccls. and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/15 12:20
S10 9	449	("710"/\$.ccls. and @ad<="19990902") and (config\$ near3 (complet\$3 finish\$3 done))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/15 12:21
S11 0	23	((("710"/\$.ccls. and @ad<="19990902") and (config\$ near3 (complet\$3 finish\$3 done))) and (config\$ with stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/15 11:41

S11 1	1	("6529964").PN.	USPAT; USOCR	OR	OFF	2004/05/15 11:45
S11 2	1	("5768542").PN.	USPAT; USOCR	OR	OFF	2004/05/15 11:45
S11 3	67	("710"/\$.ccls. and @ad<="19990902") and ((config\$ near3 device) with (list stack queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/15 12:06
S11 4	37	((("710"/\$.ccls. and @ad<="19990902") and ((config\$ near3 device) with (list stack queue))) and ((insert\$3 push\$3 pop\$4 delet\$3 plac\$3 add\$3 enter\$3) near3 (list stack queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/15 12:07
S11 5	23	("710"/\$.ccls. and @ad<="19990902") and (configurations adj (list stack queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/15 12:21
S11 6	19	((("710"/\$.ccls. and @ad<="19990902") and (configurations adj (list stack queue))) not international.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/15 12:24
S11 7	7	((("710"/\$.ccls. and @ad<="19990902") and (configurations adj (list stack queue))) not international.as.) and (config\$ near3 devices)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/15 18:50
S11 8	125909	config\$ near3 device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/15 18:51
S11 9	1756	config\$ adj (stack list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/15 18:51
S12 0	372	(config\$ near3 device) and (config\$ adj (stack list))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/15 18:52
S12 1	4	((config\$ near3 device) and (config\$ adj (stack list))) and (config\$3 near (start\$3 beg\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/15 18:52

S12 2	1	((config\$ near3 device) and (config\$ adj (stack list))) and (config\$3 near (start\$3 beg\$6))) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/15 18:56
S12 3	355	(configuration adj stack) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/15 18:58
S12 4	58	((configuration adj stack) and @ad<="19990902") and (config\$ with device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/15 18:58
S12 5	1	((configuration adj stack) and @ad<="19990902") and (config\$ with device)) and "310"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/15 18:57
S12 6	218	(configuration adj (list queue)) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/15 18:58
S12 7	68	((configuration adj (list queue)) and @ad<="19990902") and (config\$ with device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/15 18:58
S12 8	26	(US-6249520-\$ or US-6389447-\$ or US-5430839-\$ or US-6470362-\$ or US-6349320-\$ or US-6138123-\$ or US-6119185-\$ or US-6253212-\$ or US-6074299-\$ or US-6351754-\$ or US-6457069-\$ or US-4890257-\$ or US-5113522-\$ or US-6295534-\$ or US-6658202-\$ or US-6125408-\$ or US-5991826-\$ or US-5748980-\$ or US-6349306-\$ or US-5872928-\$ or US-5592373-\$ or US-5109484-\$ or US-5056001-\$).did. or (US-20030041088-\$).did. or (JP-63231543-\$).did. or (US-4943968-\$).did.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2004/05/16 15:21

S12 9	1	((US-6249520-\$ or US-6389447-\$ or US-5430839-\$ or US-6470362-\$ or US-6349320-\$ or US-6138123-\$ or US-6119185-\$ or US-6253212-\$ or US-6074299-\$ or US-6351754-\$ or US-6457069-\$ or US-4890257-\$ or US-5113522-\$ or US-6295534-\$ or US-6658202-\$ or US-6125408-\$ or US-5991826-\$ or US-5748980-\$ or US-6349306-\$ or US-5872928-\$ or US-5592373-\$ or US-5109484-\$ or US-5056001-\$).did. or (US-20030041088-\$).did. or (JP-63231543-\$).did. or (US-4943968-\$).did.) and (previous near3 device)	USPAT	OR	ON	2004/05/16 15:22
S13 0	7	(display\$3 near3 (previous near configuration))	USPAT	OR	ON	2004/05/16 15:25
S13 1	6	((display\$3 near3 (previous near configuration))) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/16 15:29
S13 2	1	(display\$3 near (previous adj configuration))	USPAT	OR	ON	2004/05/16 15:26
S13 3	0	(display\$3 adj ((previous before preceding earlier prior) adj configuration))	USPAT	OR	ON	2004/05/16 15:27
S13 4	4	(display\$3 adj3 ((previous before preceding earlier prior) adj configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/16 15:28
S13 5	195	((previous before preceding earlier prior) near3 (device adj configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/16 15:37
S13 6	105	((previous before preceding earlier prior) near3 (device adj configuration))) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/16 15:29
S13 7	98	((previous before preceding earlier prior) near3 (device adj configuration))) and @ad<="19990902" ) not international.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/16 15:37

S13 8	53	((previous before preceding earlier) near3 (device adj configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/16 15:37
S13 9	48	((((previous before preceding earlier) near3 (device adj configuration))) not international. as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/16 15:37